

Rifle Ballistics (continued)

Ammo Description			Velocity (fps)							Energy (ft/lb)						Trajectory Tables (inches)					
CARTRIDGE	BULLET	ITEM #	MUZ	100 yd	200 yd	300 yd	400 yd	500 yd	MUZ	100 yd	200 yd	300 yd	400 yd	500 yd	MUZ	100 yd	200 yd	300 yd	400 yd	500 yd	
SF	338RCM	225 gr. InterBond	82138	2750	2575	2408	2246	2091	1942	3778	3314	2896	2521	2184	1884	-1.5	1.9	0	-7.9	-22.7	-45.5
SF	338RCM	225 gr. SST	82236	2750	2575	2408	2246	2091	1942	3778	3314	2896	2521	2184	1884	-1.5	1.9	0	-7.9	-22.7	-45.5
SF	338 Win Mag	185 gr. GMX	82226	3080	2851	2633	2426	2228	2039	3897	3338	2848	2417	2038	1708	-1.5	1.4	0	-6.4	-18.8	-38.2
SF	338 Win Mag	200 gr. SST	82223	3030	2820	2620	2429	2246	2071	4077	3532	3049	2621	2240	1904	-1.5	1.4	0	-6.5	-18.9	-38.3
SF	338 Win Mag	225 gr. InterBond	82338	2840	2662	2491	2326	2168	2016	4029	3540	3100	2704	2348	2030	-1.5	1.7	0	-7.3	-21.1	-42.2
SF	338 Win Mag	225 gr. SST	82233	2840	2662	2491	2326	2168	2016	4029	3540	3100	2704	2348	2030	-1.5	1.7	0	-7.3	-21.1	-42.2
M	338 Lapua Mag	250 gr. BTHP	8230	2900	2761	2626	2495	2368	2244	4668	4230	3827	3455	3112	2796	-1.5	1.5	0	-6.6	-18.8	-37.1
C	338 Lapua Mag	250 gr. SP-RP	82307	2900	2685	2481	2285	2098	1921	4668	4002	3416	2899	2444	2048	-1.5	1.7	0	-7.3	-21.3	-43.3
M	338 Lapua Mag	285 gr. BTHP	82306	2745	2616	2491	2369	2251	2136	4768	4331	3926	3552	3206	2887	-1.5	1.8	0	-7.4	-21.0	-41.5
LE	35 Rem	200 gr. FTX	82735	2225	1963	1722	1505	—	—	2198	1711	1317	1006	—	—	-1.5	3.8	0	-15.6	—	—
SF	35 Whelen	200 gr. InterLock SP	81193	2910	2585	2283	2001	1742	1509	3760	2968	2314	1778	1347	1012	-1.5	1.9	0	-8.6	-25.9	-54.8
C	358 Win	200 gr. InterLock SP	91318	2475	2180	1906	1655	1434	1248	2720	2110	1612	1217	913	692	-1.5	2.9	0	-12.6	-37.9	-80.3
DG	9.3x62mm	286 gr. InterLock SP-RP	82303	2360	2155	1961	1778	1608	1453	3537	2949	2442	2008	1642	1341	-1.5	0	-6.0	-21.1	-47.2	-86.8
DG	9.3x74R	286 gr. InterLock SP-RP	82304	2360	2155	1961	1778	1608	1453	3537	2949	2442	2008	1642	1341	-1.5	3.0	-6.0	-21.1	-47.2	-86.8
DG	376 Steyr	225 gr. InterLock SP-RP	8234	2600	2331	2079	1843	1627	1433	3377	2715	2159	1697	1322	1026	-1.5	2.5	0	-10.5	-31.4	-65.4
DG	376 Steyr	270 gr. InterLock SP-RP	8237	2600	2373	2157	1953	1761	1584	4053	3375	2789	2286	1859	1505	-1.5	2.4	0	-9.8	-28.8	-59.1
SF	375 H&H Mag	250 gr. GMX	82310	2890	2675	2471	2275	2088	1911	4636	3973	3388	2873	2421	2027	-1.5	1.7	0	-7.4	-21.5	-43.6
DG	375 H&H Mag	270 gr. InterLock SP-RP SPF	8508	2800	2562	2337	2123	1921	1732	4700	3936	3275	2703	2213	1798	-1.5	1.9	0	-8.3	-24.3	-49.8
DG	375 H&H Mag	270 gr. InterLock SP-RP	82312	2700	2468	2247	2038	1841	1657	4370	3650	3027	2490	2032	1647	-1.5	2.1	0	-9.0	-26.5	-54.2
DG	375 H&H Mag	300 gr. DGS SPF	8509	2660	2345	2052	1782	1539	1330	4713	3662	2804	2114	1577	1177	-1.5	2.4	0	-10.8	-32.6	-69.2
DG	375 H&H Mag	300 gr. DGS	82322	2530	2242	1939	1680	1450	1257	4264	3293	2506	1879	1400	1052	-1.5	2.8	0	-12.1	-36.6	-77.8
DG	375 H&H Mag	300 gr. DGX	82332	2530	2224	1939	1680	1450	1257	4264	3293	2506	1879	1400	1052	-1.5	2.8	0	-12.1	-36.6	-77.8
SF	375 Ruger	250 gr. GMX	82311	2890	2675	2471	2275	2088	1911	4636	3973	3388	2873	2421	2027	-1.5	1.7	0	-7.4	-21.5	-43.6
DG	375 Ruger	270 gr. InterLock SP-RP	8231	2840	2600	2373	2158	1953	1762	4835	4054	3377	2791	2288	1861	-1.5	1.8	0	-8.0	-23.6	-48.2
DG	375 Ruger	300 gr. DGX	82333	2660	2345	2052	1782	1539	1330	4713	3662	2804	2114	1577	1177	-1.5	2.4	0	-10.8	-32.6	-69.2
DG	375 Ruger	300 gr. DGS	8232	2660	2345	2052	1782	1539	1330	4713	3662	2804	2114	1577	1177	-1.5	2.4	0	-10.8	-32.6	-69.2
C	405 Win	300 gr. InterLock SP	8241	2200	1890	1612	1371	—	—	3224	2380	1730	1252	—	—	-1.5	0	-8.3	-30.2	—	—
DG	416 Rem Mag	400 gr. DGX	82673	2400	2142	1901	1679	—	—	5116	4076	3211	2504	—	—	-1.5	3.1	0	-12.7	—	—
DG	416 Rem Mag	400 gr. DGS	82674	2400	2142	1901	1679	—	—	5116	4076	3211	2504	—	—	-1.5	3.1	0	-12.7	—	—
DG	416 Ruger	400 gr. DGX	82665	2400	2142	1901	1679	—	—	5116	4076	3211	2504	—	—	-1.5	3.1	0	-12.7	—	—
DG	416 Ruger	400 gr. DGS	82666	2400	2142	1901	1679	—	—	5116	4076	3211	2504	—	—	-1.5	3.1	0	-12.7	—	—
DG	416 Rigby	400 gr. DGX	82663	2415	2156	1915	1691	—	—	5180	4130	3256	2540	—	—	-1.5	0	-6.0	-21.6	—	—
DG	416 Rigby	400 gr. DGS	8265	2415	2156	1915	1691	—	—	5180	4130	3256	2540	—	—	-1.5	0	-6.0	-21.6	—	—
DG	404 Jeffery	400 gr. DGX	8238	2300	2053	1823	1611	—	—	4698	3743	2950	2306	—	—	-1.5	0	-6.8	-24.1	—	—
DG	404 Jeffery	400 gr. DGS	8239	2300	2053	1823	1611	—	—	4698	3743	2950	2306	—	—	-1.5	0	-6.8	-24.1	—	—
SF	444 Marlin	265 gr. InterLock FP	82453	2400	1974	1601	1295	—	—	3389	2294	1508	987	—	—	-1.5	3.8	0	-17.5	—	—
LE	444 Marlin	265 gr. FTX	82744	2325	1971	1654	1381	—	—	3181	2286	1609	1123	—	—	-1.5	3.8	0	-16.6	—	—
LE	45-70 Govt	250 gr. MonoFlex	82741	2025	1616	1285	1068	—	—	2276	1449	917	634	—	—	-1.5	6.1	0	-27.2	—	—
LE	45-70 Govt	325 gr. FTX	82747	2000	1685	1413	1197	—	—	2886	2049	1441	1035	—	—	-1.5	5.5	0	-23.0	—	—
LE	450 Marlin	325 gr. FTX	82750	2225	1887	1587	1332	—	—	3572	2570	1816	1280	—	—	-1.5	4.2	0	-18.1	—	—
DG	450/400 Nitro Express 3"	400 gr. DGX	82433	2050	1820	1609	1420	—	—	3732	2940	2298	1791	—	—	-0.9	0	-9.7	-32.8	—	—
DG	450/400 Nitro Express 3"	400 gr. DGS	8242	2050	1820	1609	1420	—	—	3732	2940	2298	1791	—	—	-0.9	0	-9.7	-32.8	—	—
DG	450 Nitro Express 3 1/4"	480 gr. DGX	8255	2150	1881	1635	1418	—	—	4927	3769	2850	2144	—	—	-1.5	0	-8.4	-29.9	—	—
DG	450 Nitro Express 3 1/4"	480 gr. DGS	8256	2150	1881	1635	1418	—	—	4927	3769	2850	2144	—	—	-1.5	0	-8.4	-29.9	—	—
C	450 Bushmaster	250 gr. FTX (20" Bbl)	82244	2200	1835	1515	1255	—	—	2687	1868	1274	874	—	—	-2.4	4.1	0	-19.3	—	—
DG	458 Win Mag	500 gr. DGX	85833	2140	1880	1643	1432	—	—	5084	3924	2996	2276	—	—	-1.5	0	-8.4	-29.8	—	—
DG	458 Win Mag	500 gr. DGS	8585	2140	1880	1643	1432	—	—	5084	3924	2996	2276	—	—	-1.5	0	-8.4	-29.8	—	—
DG	458 Lott	500 gr. DGX	82613	2300	2029	1778	1551	—	—	5873	4569	3509	2671	—	—	-1.5	0	-7.0	-25.1	—	—
DG	458 Lott	500 gr. DGS	8262	2300	2029	1778	1551	—	—	5873	4569	3509	2671	—	—	-1.5	0	-7.0	-25.1	—	—
DG	470 Nitro Express	500 gr. DGX	8263	2150	1885	1643	1429	—	—	5132	3945	2998	2267	—	—	-0.9	0	-8.9	-30.8	—	—
DG	470 Nitro Express	500 gr. DGS	8264	2150	1885	1643	1429	—	—	5132	3945	2998	2267	—	—	-0.9	0	-8.9	-30.8	—	—
DG	500 Nitro Express	570 gr. DGX	8268	2150	1889	1651	1439	—	—	5850	4518	3450	2621	—	—	-0.9	0	-8.9	-30.6	—	—
DG	500 Nitro Express	570 gr. DGS	8269	2150	1889	1651	1439	—	—	5850	4518	3450	2621	—	—	-0.9	0	-8.9	-30.6	—	—
M	50 BMG	750 gr. A-MAX (36" Bbl)	8270	2815	2727	2641	2557	2474	2393	13196	12386	11619	10889	10196	9538	-1.8	1.4	0	-6.4	-18.2	-35.6

LEGEND

BT..... Boattail
 DGS..... Dangerous Game Solid
 DGX..... Dangerous Game Expanding
 FMJ..... Full Metal Jacket
 FP..... Flat Point

FPB..... Flex Tip® Projectile
 Blackpowder
 FTX..... Flex Tip® eXpanding
 HP..... Hollow Point
 IB..... InterBond® Bullet
 L..... Swaged Lead Bullet

LRN..... Lead Round Nose
 ML..... Muzzleloading
 w/Moly..... Moly-Coated
 RN..... Round Nose
 SIL..... Silhouette
 SJ..... Short Jacket

SP..... Spire Point
 SP-RP..... Spire Point Recoil Proof
 SST..... Super Shock Tipped
 V..... Vented
 XTP..... Extreme Terminal
 Performance™

Handgun Ballistics

Hornady® Product Lines: **C** Custom™ **LE** LEVERevolution® **S** Steel Match® **CD** Critical Defense® **DUTY** Critical DUTY®

	Ammo Description				Velocity (fps)			Energy (ft/lb)		
	CARTRIDGE	BULLET	ITEM #	BARREL LENGTH	MUZZLE	50 yds	100 yds	MUZZLE	50 yds	100 yds
CD	22WMR	45gr.FTX®	83200	17/8 V"	1000	920	857	100	85	73
C	25 Auto	35 gr.XTP®	90012	2"	900	813	742	63	51	43
C	32 Auto	60 gr.XTP®	90062	4"	1000	905	833	133	109	92
CD	32 NAA	80 gr.FTX®	90070	4"	1000	933	880	178	155	137
CD	32 H&R	80gr.FTX®	90060	4"	1150	1039	963	235	192	165
C	380 Auto	90 gr.XTP®	90102	4"	1000	912	845	200	166	143
CD	380 Auto	90 gr.FTX®	90080	4"	1000	912	845	200	166	143
C	9mm Luger	115 gr.XTP®	90252	4"	1155	1038	958	341	275	234
S	9mm Luger	115 gr.HAP (Steel Case)	90271	4"	1155	1038	958	341	275	234
CD	9mm Luger	115 gr.FTX®	90250	4"	1135	1025	949	329	268	230
C	9mm Luger	124 gr.XTP®	90242	4"	1110	1027	965	339	290	257
DUTY	9mm Luger	135 gr.FlexLock®	90236	4"	1010	960	918	306	276	253
DUTY	9mm Luger +P	135 gr.FlexLock®	90226	4"	1110	1038	983	369	323	289
C	9mm Luger	147 gr.XTP®	90282	4"	975	934	899	310	285	264
C	357 Sig	147 gr.XTP®	9131	4"	1225	1132	1060	490	418	367
DUTY	357 Sig	135 gr.FlexLock®	91296	4"	1225	1112	1031	450	371	319
CD	38 Special	90 gr.FTX® CD Lite	90300	4"	1200	1037	938	288	215	176
CD	38 Special	110 gr.FTX®	90310	4" V	1010	939	882	249	215	190
CD	38 Special+P	110 gr.FTX®	90311	4" V	1090	996	928	290	242	210
C	38 Special	125 gr.XTP®	90322	4" V	900	856	817	225	203	185
C	38 Special	158 gr.XTP®	90362	4" V	800	775	751	225	210	198
CD	357 Magnum	125 gr.FTX®	90500	8" V	1500	1312	1163	624	478	376
C	357 Magnum	125 gr.XTP®	90502	8" V	1500	1313	1165	624	479	377
C	357 Magnum	140 gr.XTP®	90552	8" V	1350	1207	1099	567	453	375
LE	357 Magnum	140 gr.FTX®	92755	8" V	1440	1281	1154	645	510	414
C	357 Magnum	158 gr.XTP®	90562	8" V	1250	1149	1072	548	463	403
C	9x 18mm Makarov	95 gr.XTP®	91002	4"	1000	929	873	211	182	161
CD	9x 18mm Makarov	95 gr.FTX®	91000	4"	1000	913	846	211	176	151
C	40 S&W	155 gr.XTP®	9132	4"	1180	1060	978	479	387	329
CD	40 S&W	165 gr.FTX®	91340	3"	1045	971	914	400	345	306
DUTY	40 S&W	175 gr.FlexLock®	91376	4"	1010	948	899	396	350	314
C	40 S&W	180 gr.XTP®	9136	4"	950	902	861	361	325	297
C	10mm Auto	155 gr.XTP®	9122	5"	1265	1118	1018	551	430	357
C	10mm Auto	180 gr.XTP®	9126	5"	1180	1077	1002	556	463	402
C	44-40 Cowboy	205 gr.Cowboy™	9075	7½" V	725	689	655	239	216	195
CD	44 Special	165 gr.FTX®	90700	2½" V	900	847	802	297	263	235
C	44 Special	180 gr.XTP®	9070	7½" V	1000	934	881	400	349	310
C	44 Rem Mag	200 gr.XTP®	9080	7½" V	1500	1332	1194	999	788	633
LE	44 Rem Mag	225 gr.FTX®	92782	7½" V	1410	1233	1102	993	760	607
C	44 Rem Mag	240 gr.XTP®	9085	7½" V	1350	1230	1133	971	806	684
C	44 Rem Mag	300 gr.XTP®	9088	7½" V	1150	1083	1030	881	781	706
C	45 Auto	185 gr.XTP®	9090	5"	970	911	862	386	341	305
CD	45 Auto	185 gr.FTX®	90900	3"	900	853	811	333	299	270
C	45 Auto	200 gr.XTP®	9112	5"	900	856	817	360	325	296
DUTY	45 Auto +P	220 gr.FlexLock®	90926	5"	975	927	887	464	420	384
C	45 Auto +P	200 gr.XTP®	9113	5"	1055	981	924	494	427	379
C	45 Auto +P	230 gr.XTP®	9096	5"	950	908	871	461	421	388
C	45 Auto	230 gr.FMJ-RN	9097	5"	850	819	790	369	342	319
CD	45 Colt	185 gr.FTX®	92790	3" V	920	870	826	348	311	280
C	45 Colt	255 gr.Cowboy™	9115	4¾" V	725	687	651	298	267	240
LE	45 Colt	225 gr.FTX®	92792	4¾" V	960	903	855	460	407	366
C	454 Casull	240 gr.XTP® Mag	9148	7½" V	1900	1678	1478	1924	1500	1164
C	454 Casull	300 gr.XTP® Mag	9150	7½" V	1650	1474	1319	1813	1447	1158
C	460 S&W	200 gr.FTX®	9152	83/8"	2200	1941	1703	2149	1673	1288
C	475 Linebaugh	400 gr.XTP® Mag	9140	7½"	1300	1176	1083	1501	1229	1041
C	480 Ruger	325 gr.XTP® Mag	9138	7½"	1350	1191	1077	1315	1024	837
C	50 AE	300 gr.XTP®	9245	6"	1475	1251	1092	1449	1043	795
C	500 S&W	300 gr.FTX®	9249	8½"	1950	1653	1396	2533	1819	1298
C	500 S&W	500 gr.FP-XTP®	9252	8½"	1300	1178	1085	1876	1541	1308

Shotgun/Muzzleloader Ballistics.....

Shotgun Ammunition

Ammo Description			Velocity (fps)					Energy (ft/lb)					Trajectory Tables (inches)				
AMMO DESCRIPTION	BULLET	ITEM #	MUZ	50 yd	100 yd	150 yd	200 yd	MUZ	50 yd	100 yd	150 yd	200 yd	MUZ	50 yd	100 yd	150 yd	200 yd
12 ga. SST Shotgun Slug 2¾"	300 gr. FTX	8623	2000	1814	1641	1483	1342	2664	2192	1795	1465	1199	-1.5	1.9	2.6	0.0	-6.5
12 ga. Superformance Shotgun Slug 2¾"	300 gr. MonoFlex	86236	1950	1742	1552	1383	1239	2533	2022	1605	1274	1022	-1.5	2.1	2.9	0.0	-7.4
12 ga. Custom Lite Shotgun Slug 2¾"	300 gr. SST	86230	1575	1423	1289	1178	1091	1652	1348	1107	924	793	-1.5	3.6	4.5	0.0	-10.7
12 ga. American Whitetail Shotgun Slug 2¾"	325 gr. InterLock	86271	1825	1651	1491	1349	1227	2403	1966	1605	1313	1086	-1.5	0.9	0.0	-4.8	-14.3
20 ga. SST Shotgun Slug 2¾"	250 gr. FTX	86232	1800	1628	1471	1331	1212	1798	1471	1201	983	815	-1.5	2.6	3.3	0.0	-8.2
20 ga. Superformance Shotgun Slug 2¾"	250 gr. MonoFlex	86237	1800	1628	1471	1331	1212	1798	1471	1201	983	815	-1.5	2.6	3.3	0.0	-8.2
20 ga. Custom Lite Shotgun Slug 2¾"	250 gr. SST	86233	1600	1452	1321	1208	1118	1421	1171	968	810	694	-1.5	3.4	4.2	0.0	-10.1

AMMO DESCRIPTION	SHOT SIZE	SHELL LENGTH	ITEM #	Velocity (fps) 10yd
12 ga. Varmint Express	#4 Buck	2¾"	86243	1299
12 ga. Critical Defense	00 Buck (8 Pellets)	2¾"	86240	1510
12 ga. Superformance	00 Buck (8 Pellets)	2¾"	86246	1510
12 ga. Heavy Mag Turkey	#4	3"	86242	1300
12 ga. Heavy Mag Turkey	#5	3"	86241	1300

AMMO DESCRIPTION	SHOT SIZE	SHELL LENGTH	ITEM #	Velocity (fps) 10yd
12 ga. Heavy Mag Turkey	#6	3"	86244	1300
12 ga. Heavy Mag Coyote	BB	3"	86222	1300
12 ga. Heavy Mag Coyote	00 Buck	3"	86224	1300
20 ga. Heavy Mag Turkey	#5	3"	86248	1150

12 gauge shotgun ballistics are established with a 30" SAAMI standard test barrel.
20 gauge shotgun ballistics are established with a 26" SAAMI standard test barrel.

Muzzleloader Projectiles

Description			Velocity (fps)						Energy (ft/lb)						Trajectory Tables (inches)					
DESCRIPTION	WEIGHT	ITEM #	MUZ	50 yd	100 yd	150 yd	200 yd	250 yd	MUZ	50 yd	100 yd	150 yd	200 yd	250 yd	MUZ	50 yd	100 yd	150 yd	200 yd	250 yd
45 Cal. SST-ML Low Drag Sabot	200 gr.	67132	2325	2171	2022	1880	1744	1616	2400	2092	1815	1569	1351	1160	-1.5	2.0	3.0	2.0	-1.0	-7.1
50 Cal. SST-ML Lock-N-Load Speed Sabot	250 gr.	67270	2250	2031	1852	1684	1529	1389	2735	2290	1904	1574	1297	1070	-1.5	1.8	3.0	1.7	-2.7	-11.0
50 Cal. SST-ML Low Drag Sabot	250 gr.	67273	2250	2031	1852	1684	1529	1389	2735	2290	1904	1574	1297	1070	-1.5	1.8	3.0	1.7	-2.7	-11.0
50 Cal. MonoFlex Lock-N-Load Speed Sabot	250 gr.	67269	2250	2031	1852	1684	1529	1389	2735	2290	1904	1574	1297	1070	-1.5	1.8	3.0	1.7	-2.7	-11.0
50 Cal. MonoFlex High Speed Low Drag Sabot	250 gr.	67274	2250	2031	1852	1684	1529	1389	2735	2290	1904	1574	1297	1070	-1.5	1.8	3.0	1.7	-2.7	-11.0
50 Cal. SST-ML Lock-N-Load Speed Sabot	300 gr.	67271	2130	1974	1826	1686	1554	1433	3022	2597	2221	1893	1609	1368	-1.5	1.9	3.0	1.6	-2.9	-11.1
50 Cal. SST-ML Low Drag Sabot	300 gr.	67263	2130	1974	1826	1686	1554	1433	3022	2597	2221	1893	1609	1368	-1.5	1.9	3.0	1.6	-2.9	-11.1
50 Cal. FPB (150 gr. charge)	300 gr.	6605	2100	1942	1792	1650	1518	1397	2937	2512	2139	1814	1535	1301	-0.9	2.2	3.0	1.1	-8.1	-12.9
50 Cal. FPB (100 gr. charge)	300 gr.	6605	1800	1658	1525	1404	1295	1202	2158	1830	1549	1313	1117	962	-0.9	2.7	3.0	-0.3	-8.1	-21.1
50 Cal. FPB (150 gr. charge)	350 gr.	6600	1950	1821	1697	1581	1473	1372	2955	2577	2238	1942	1685	1463	-1.5	2.0	3.0	0.9	-4.7	-14.2
50 Cal. FPB (100 gr. charge)	350 gr.	6600	1620	1509	1406	1312	1230	1159	2039	1769	1536	1338	1176	1043	-1.5	2.7	3.0	-1.1	-10.2	-25.0

All data developed in a stock T/C Omega inline muzzleloader with 150 gr. charges except when noted. Zero your rifle 3" high at 100 yards for a 6" shooting window to 200 yards with 3 pellets or 150 gr. charges.



Monty DeBoer

Shot this turkey at 56 yards using #4 Turkey Magnum.



Don O'Shaughnessy

With Heavy Magnum Turkey, I brought down the biggest turkey of my life (about 28 lb) with one shot, clean through the neck.



Robert Arrington

I thought you guys might like this. Nothing better than our Hornady ammunition. Thanks for the support!



Ammunition Overview



American Whitetail™

Loaded with our legendary Hornady® InterLock® bullets in weights that have been deer hunting favorites for decades, American Whitetail™ ammunition combines generations of ballistics know-how with modern components and the technology you need to take the buck of a lifetime.



Critical Defense®

Featuring the non-clogging, reliable expansion of the FTX® bullet, Critical Defense® handgun ammunition provides dependable performance for defensive or personal protection situations from any short-barreled, concealed carry style firearm.



Critical Duty®

Designed to meet the needs of those who demand superior barrier penetration and prefer a full-size handgun for their personal protection, Critical Duty® is loaded with the tough Hornady® FlexLock® bullet that delivers virtually "barrier blind" performance when shot through common urban barriers.



Custom Lite®

Hornady® Custom Lite® ammunition provides reduced recoil and muzzle blast from standard cartridges and shotgun slugs, and puts the fun back into shooting for youngsters, women and every shooter looking to keep recoil to a minimum while still enjoying the use of their favorite rifle.



Custom™

Millions of successful hunts have proven the accuracy and deadly effect of the famous Hornady InterLock®, SST®, InterBond® and GMX® bullets we load into Hornady® Custom™ rifle cartridge.



Dangerous Game™ Series

Loaded in a variety of popular calibers, the foundation of our Dangerous Game™ Series ammunition is the expanding DGX® bullet for maximum energy transfer and devastating results, or the non-expanding DGS® bullet for thick-skinned game like elephant, rhino and hippo.



LEVERevolution®

LEVERevolution® represents a breakthrough in ammo design for lever action rifles and revolvers. The key to its innovation and performance is the patented elastomer Flex Tip® technology that delivers up to 250 fps faster muzzle velocity than conventional lever gun loads, and is safe to use in tubular magazines.



Match™

Every component of our Match™ ammunition is carefully selected to ensure uniformity and we load to stringent specifications to provide pinpoint accuracy. Each cartridge is loaded with either Hornady® A-MAX® bullets or our high-performance boat tail hollow point bullets.



Steel Match®

This economical ammo choice features steel cartridge cases and non-corrosive berdan primers. Steel Match® ammunition is loaded with accurate and consistent Hornady® BTHP match bullets or HAP® pistol bullets.



Superformance®/Superformance® Match™/Superformance® Varmint



Increase your favorite rifle's performance up to 200 fps without extra chamber pressure, recoil, muzzle blast, temperature sensitivity, fouling or loss of accuracy. Superformance® ammunition uses progressive propellants that deliver performance that's simply unattainable from conventional ammunition.



TAP®-FPD™

Exceptionally accurate and consistent, TAP® FPD™ rifle ammo offers enhanced terminal performance with rapid expansion and fragmentation resulting in dramatic wound cavities and a reduced risk of over-penetration. Their nickel-coated cases help eliminate corrosion and improve feeding in all firearms.



Varmint Express®

For flat-shooting tack-driving accuracy, there's no better choice than Hornady Varmint Express ammunition. Loaded with Hornady V-Max® and NTX® bullets, these cartridges are designed to resist wind drift and are ideal for varmints of any size.



Vintage Match™

Built to replicate the original military performance specifications unique to wartime rifles, Hornady® Vintage Match™ ammunition provides superior quality and off-the-shelf match-grade performance from classic service rifles.